Author Index

Ahern, J.D., see Heimbrook, D.C., 203
Ahmad, D., see Sondossi, M., 77
Alichanidis, E., see Roukas, T., 71
Ambedkar, S.S., Deshpande, B.S., Sudhakaran, V.K. and Shewale, J.G.
Beijerinckia indica var. *penicillanicum* penicillin V acylase: enhanced enzyme production by catabolite repression-resistant mutant and effect of solvents on enzyme activity, 209

Bagby, M.O., see Hou, C.T. 123
Bajpai, R., see Cheng, P., 27
Balishin, N.L., see Heimbrook, D.C., 203
Baltz, R.H., see Hahn, D.R., 229
Barreto, M.T.O., Melo, E.P., Moreira, J.L. and Carrondo, M.J.T.
High cell density reactor for the production of *Lactobacillus plantarum*, 63
Bartel, P.L., see Strohl, W.R., 163
Berry, D.R., zee Nwoguh, C.E., 263
Brownell, J.E. and Nakas, J.P.
Bioconversion of acid-hydrolyzed poplar hemicellulose to acetic acid by *Clostridium thermoaceticum*, 1
Buckholz, R.G. see Vedvick, T., 197
Buckland, B., see Chartrain, M., 293

Carmichael, R.D., see Pickard, M.A., 235
Carrondo, M.J.T., see Barreto, M.T.O., 63
Cerniglia, C.E., see Kelley, I., 19
Champagne, C.P., Detournay, H. and Hardy, M.-J.
Effect of medium on growth and subsequent survival, after freeze-drying, of *Lactobacillus delbrueckii* subsp. *bulgaricus* (Short Communication), 147
Chang, L.T., McGrory, E.L., Elander, R.P. and Hook, D.J.
Decreased production of para-hydroxypenicillin V in penicillin V fermentations, 175
Chartrain, M., Hunt, G., Horn, L., Kirpekar, A., Mathre, D., Powell, A., Wassel, L., Nielsen, J., Buckland, B. and Greasham, R.
Biochemical and physiological characterization of the efrotomycin fermentation, 293
Chartrain, M.M., see Reda, K.D., 215
Cheng, P., Mueller, R.E., Jaeger, S., Bajpai, R. and Iannotti, E.L.
Lactic acid production from enzyme-thinned corn starch using *Lactobacillus amylovorus*, 27
Claus, G.W., see Feshami, B.A., 57
Connors, N.C., see Strohl, W.R., 163
Cordenons, A., see Guebel, D.V., 287
Cover, W.H., Kirpekar, A.C., George, H. and Stieber, R.W.
Calcium inhibition of efrotomycin production by *Nocardia lactamdurans*, 41
Crumplen, R., see D'Amore, T., 191
Cundliffe, E.
Antibiotics and the search for new principles (Office of Naval Research Lecture), 157

D'Amore, T., Crumplen, R. and Stewart, G.G.
The involvement of trehalose in yeast stress tolerance, 191
D'Amore, T., see Novak, S., 35
De Rome, L. and Gadd, G.M.
Use of pelleted and immobilized yeast and fungal biomass for heavy metal and radionuclide recovery, 97
Defeo-Jones, D., see Heimbrook, D.C., 203
Deshpande, B.S., see Ambedkar, S.S., 209
Desrochers, M., see Royer, G., 269
Detournay, H., see Champagne, C.P., 147
Dimitrovski, A., see Kuzmanova, S., 257
Duvnjak, Z., see Koren, D.W., 131

Edwards, G.M., see Heimbrook, D.C., 203
Elander, R.P., see Chang, L.T., 175
Engel, M., see Vedvick, T., 197

Fedyniak, O.X., see Wiatr, C.L., 7
Feshami, B.A. and Claus, G.W.
A nonchromatographic assay for sorbitol in chemically complex growth media containing sorbose, 57
Feygin, I., see Reda, K.D., 215
FitzGerald, D.J., see Heimbrook, D.C., 203
Gadd, G.M., see De Rome, L., 97
George, H., see Cover, W.H., 41
Giulietti, A.M., see Guebel, D.V., 287
Greasham, R., see Chartrain, M., 293
Greasham, R.L., see Reda, K.D., 215
Griffin, W.M., see Horowitz, S., 45
Guebel, D.V., Cordenons, A., Nudel, B.C. and Giulietti, A.M.
Influence of oxygen transfer rate and media composition on fermentation of D-xylose by *Pichia stipitis* NRRL Y-7124, 287

Hahn, D.R., Solenberg, P.J., McHenney, M.A. and Baltz, R.H.
Transposition and transduction of plasmid DNA in *Streptomyces* spp., 229
Hardy, M.-J., see Champagne, C.P., 147
Hayashi, S., Nonoguchi, M., Takasaki, Y., Ueno, H. and Imada, K.
Purification and properties of β-fructofuranosidase from *Aureobasidium* sp. ATCC 20524, 251
Heimbrook, D.C., Stirdivant, S.M., Ahern, J.D., Balishin, N.L., Patrick, D.R., Edwards, G.M., Defeo-Jones, D., FitzGerald, D.J., Pastan, I. and Oliff, A.
Biological activity of a transforming growth factor-alpha-*Pseudomonas* exotoxin fusion protein in vitro and in vivo, 203
Heniken, M.R., see Kelly, M.P., 137
Hook, D.J., see Chang, L.T., 175
Horn, L., see Chartrain, M., 293
Horowitz, S. and Griffin, W.M.
Structural analysis of *Bacillus licheniformis* 86 surfactant, 45
Hou, C.T. and Bagby, M.O.
Production of a new compound, 7,10-dihydroxy-8-(E)-octa-

decenoic acid from oleic acid by *Pseudomonas* sp. PR3, 123
Hunt, G., see Chartrain, M., 293

Iannotti, E.L., see Cheng, P., 27
Imada, K., see Hayashi, S., 251
Ingledew, W.M., see O'Connor, E.S.C., 89

Jaeger, S., see Cheng, P., 27

Kadima, T.A., see Pickard, M.A., 235
Kanchanatawee, S. and Maddox, I.S.
Effect of biomass concentration on the specific solvent productivity of *Clostridium acetobutylicum* in chemostat culture (Short Communication), 151
Kelley, I. and Cerniglia, C.E.
The metabolism of fluoranthene by a species of *Mycobacterium*, 19
Kelly, M.P., Heniken, M.R. and Tuovinen, O.H.
Dechlorination and spectral changes associated with bacterial degradation of 2-(2-methyl-4-chlorophenoxy)propionic acid, 137
Kinney, J., see Vedvick, T., 197
Kirpekar, A., see Chartrain, M., 293
Kirpekar, A.C., see Cover, W.H., 41
Koren, D.W. and Duvnjak, Z.
Continuous production of fructose syrup and ethanol from hydrolysed Jerusalem artichoke juice, 131
Kotzekidou, P.
Production of polygalacturonase by *Byssochlamys fulva*, 53
Kuzmanova, S., Vandeska, E. and Dimitrovski, A.
Production of mycelial protein and cellulolytic enzymes from food wastes, 257

Lazarides, H.N., see Roukas, T., 15
Li, Y., see Strohl, W.R., 163

Maddox, I.S., see Kanchanatawee, S., 151
Manderson, G.J., see Qureshi, N., 117
Marcin, C.S., see Reda, K.D., 215
Massé, R., see Sondossi, M., 77
Mathre, D., see Chartrain, M., 293
McGrory, E.L., see Chang, L.T., 175
McHenney, M.A., see Hahn, D.R., 229
Medina, M., see Moreno, J.J., 181
Melo, E.P., see Barreto, M.T.O., 63
Millán, C., see Moreno, J.J., 181
Moreira, J.L., see Barreto, M.T.O., 63
Moreno, J.J., Millán, C., Ortega, J.M. and Medina, M.
Analytical differentiation of wine fermentations using pure and mixed yeast cultures, 181
Mueller, R.E., see Cheng, P., 27

Nakas, J.P., see Brownell, J.E., 1
Nielsen, J., see Chartrain, M., 293
Nonoguchi, M., see Hayashi, S., 251
Novak, S., D'Amore, T., Russell, I. and Stewart, G.G.
Sugar uptake in a 2-deoxy-D-glucose resistant mutant of *Saccharomyces cerevisiae*, 35
Nudel, B.C., see Guebel, D.V., 287
Nwoguh, C.E. and Berry, D.R.
Activities of β-glucanases and β-glucosidases during blastospore formation in *Saccharomycopsis fibuligera*, 263

O'Connor, E.S.C. and Ingledew, W.M.
Allevation of the effects of nitrogen limitation in high gravity worts through increased inoculation rates, 89
Ogden, K.L. and Taylor, A.L.
Genetic control of flocculation in *Escherichia coli*, 279
Oliff, A., see Heimbrook, D.C., 203
Ortega, J.M., see Moreno, J.J., 181

Pastan, I., see Heimbrook, D.C., 203
Patrick, D.R., see Heimbrook, D.C., 203
Pickard, M.A., Kadima, T.A. and Carmichael, R.D.
Chloroperoxidase, a peroxidase with potential, 235
Powell, A., see Chartrain, M., 293
Provow, S., see Vedvick, T., 197

Qureshi, N. and Manderson, G.J.
Ethanol production from sulphuric acid wood hydrolysate of *Pinus radiata* using free and immobilized cells of *Pichia stipitis*, 117

Reda, K.D., Thien, M.P., Feygin, I., Marcin, C.S., Chartrain, M.M. and Greasham, R.L.
Automatic whole broth multi-fermentor sampling, 215
Roukas, T.
Influence of impeller speed on citric acid production and selected enzyme activities of the TCA cycle, 221
Roukas, T. and Alichanidis, E.
Citric acid production from beet molasses by cell recycle of *Aspergillus niger* (Short Communication), 71
Roukas, T. and Lazarides, H.N.
Ethanol production from deproteinized whey by β-galactosidase coimmobilized cells of *Saccharomyces cerevisiae*, 15
Rouleau, D., see Royer, G., 269
Royer, G., Yerushalmi, L., Rouleau, D. and Desrochers, M.
Continuous decolorization of bleached kraft effluents by *Coriolus versicolor* in the form of pellets, 269
Russell, I., see Novak, S., 35

Shewale, J.G., see Ambedkar, S.S., 209
Siegel, R.S., see Vedvick, T., 197
Solenberg, P.J., see Hahn, D.R., 229
Sondossi, M., Sylvestre, M., Ahmad, D. and Massé, R.
Metabolism of hydroxybiphenyl and chloro-hydroxybiphenyl by biphenyl/chlorobiphenyl degrading *Pseudonomas testosteroni*, strain B-356, 77
Stewart, G.G., see D'Amore, T., 191
Stewart, G.G., see Novak, S., 35
Stieber, R.W., see Cover, W.H., 41
Stirdivant, S.M., see Heimbrook, D.C., 203
Strohl, W.R., Bartel, P.L., Li, Y., Connors, N.C. and Woodman, R.H.
Expression of polyketide biosynthesis and regulatory genes in

heterologous streptomycetes, 163
Stutzenberger, F.
Polygalacturonate lyase production by *Thermomonospora curvata* on protein-extracted lucerne fiber, 243
Sudhakaran, V.K., see Ambedkar, S.S., 209
Sylvestre, M., see Sondossi, M., 77

Takasaki, Y., see Hayashi, S., 251
Taylor, A.L., see Ogden, K.L., 279
Thien, M.P., see Reda, K.D., 215
Thill, G.P., see Vedvick, T., 197
Tuovinen, O.H., see Kelly, M.P., 137

Ueno, H., see Hayashi, S., 251
Urcan, M., see Vedvick, T., 197

Vandeska, E., see Kuzmanova, S., 257
Vedvick, T., Buckholz, R.G., Engel, M., Urcan, M., Kinney, J., Provow, S., Siegel, R.S. and Thill, G.P.
High-level secretion of biologically active aprotinin from the yeast *Pichia pastoris*, 197

Wassel, L., see Chartrain, M., 293
Whitekettle, W.K.
Effects of surface-active chemicals on microbial adhesion, 105
Wiatr, C.L. and Fedyniak, O.X.
Development of an obligate anaerobe specific biocide, 7
Woodman, R.H., see Strohl, W.R., 163

Yerushalmi, L., see Royer, G., 269

Subject Index

Acetic acid, 1
Acid hydrolysate, 117
Actinomycete, 243
Actinorhodin, 163
Activity loss, 269
Anaerobic biofouling reactor, 7
Anthracyclines, 163
Antibiotic, 157
Aprotinin, 197
Aroma, 181
Aseptic sampling, 215
Aspergillus niger, 221
Automatic sampling, 215

Bacterial aggregation, 279
Bacteriophage FP43, 229
Bacterium, 27
Batch fermentation, 15
Beijerinckia indica var. *penicillanicum*, 209
Bioadhesion, 105
Biodegradation, 137
Biofilm, 7
Biofouling, 105
Bioremediation, 19
Biosorption, 97
Biosurfactant, 45
Biphenyl, 77
BL-86, 45
Black liquor, 269
Brewery, 89
Byssochlamys fulva, 53

Ca-alginate immobilized cell, 15
Calcium, 41
Cancer, 203
Catabolite repression, 35
Cellulase, 257
Cellulolytic fungi, 257
Centrifugation, 147
Chemostat culture, 151
Chloro-hydroxybiphenyl, 77
Chlorobiphenyl, 77
Chloroperoxidase, 235
Citrate, 147
Citric acid, 71, 221
Clostridium acetobutylicum, 151
Clostridium thermoaceticum, 1
Common pathway, 77
Corrosion, 7

2-Deoxy-D-glucose, 35
Derepression, 35
Dihydroxy octadecenoic acid, 123
Disc fermentor, 53

Efrotomycin, 41
Enzyme coimmobilization, 15
Enzyme immobilization, 235
Enzyme purification, 235
Epidermal growth factors, 203
Ethanol, 117, 131
Ethanol productivity, 287
Exoenzyme, 243
Exotoxin, 203

Fatty acid biotransformation, 123
Fermentation, 27
Fermentation monitoring, 215
Flocculation, 63
Fluidized bed reactor, 63
Fluoroanthene, 19
Fructooligosaccharide, 251
Fructosyl-transferring activity, 251
Fuel alcohol, 89
Fungal pellets, 97
β-Glucanase, 263
β-Glucosidase catabolite repression, 263
Gluconobacter oxydans, 57
Glycoprotein, 251
Grape waste, 257

Heavy metals, 97
Hemicellulose, 1
High-fructose syrup, 131
High-substrate, 27
Hybrid antibiotics, 163
Hydroxybiphenyl, 77
Hydroxylation, phenoxyacetic acid, 175
p-Hydroxy penicillin V, 175

Immobilized yeast cells, 97, 131
Induction, 279
Interspecies gene cloning, 163
IS*493*, 229

Jerusalem artichoke, 131

1-Kestose, 251
Kinetics, 15

Laccase, 269
Lactic starter sulture, 63
Lactobacillus plantarum, 63
Lactose hydrolysis, 15

Lichenysin, 45
Ligninolytic activity, 269
Lipase, 293
Lipopeptide, 45
Liquefaction, 27
Lowry-Lopez interference assay, 57

Mecoprop degradation, 137
Media composition, 287
Metronidazole, 7
Microbial degradation, 19
Mixed cultures, 137
Mutation, 209
Mycelial pellet, 269

Nocardia lactamdurans, 41, 293
Nutrition, 27

Obligate anaerobe, 7
Optimization, 27
Osmotolerance, 191
Oxygen transfer rate, 287

Papain, 147
PCB degradation, 77
Pectin, 243
Pectinase, 243
Penicillin V acylase, 209
Penicillin V fermentation, 175
Penicillium chrysogenum, 175
Pepsin, 147
Phenoxyherbicide, 137
Pichia, 197
Pichia stipitis, 117, 287
Pinus radiata, 117
Pitching rate, 89
Polycyclic aromatic hydrocarbon, 19
Polygalacturonase, 53
Polyketide biosynthesis, 163
Pressed apple pulp, 257
Protease inhibitor, 197
Protease, 243, 293
Proteolytic processing, 197
Pseudomonas putida, 77
Pseudomonas testosteroni, 77

Radionuclides, 97
Ribosome, 157
RNA, 157

Saccharomyces cerevisiae, 131, 181
Secondary metabolism, 293
Secretion, 197
Shake flask, 15, 53
Single cell protein, 257
Sluggish fermentation, 89
Solvent effect, 209
Solventogenesis, 151
Sorbitol assay, 57
Specific productivity, 151
Sporulation, 263
Stirred fermentor, 53
Stirred tank fermentor, 221
Strain improvement, 175
Streptomycetes, 163, 229
Stuck, 89
Submerged culture, 221
Substrate pH, 71
Sugar alcohol, 57
Surface fermentation, 71
Surfactants, 105
Surfactin, 45

Thermophile, 1, 243
Tn*5096*, 229
Tn*5099*, 229
Torulaspora delbrueckii, 181
Trehalose, 191
Type 1 pili, 279

Viability, 191

Winery, 89

Xylose, 1, 287

Yeast, 35, 191, 263
Yeast expression, 197